



INVERKONTROL Di 230

2\xa0El\xa0INVERKONTROL DI-230\xa0de Solter es el aliado perfecto para proteger tus equipos de soldadura INVERTER ante variaciones de tensión. Diseñado para desconectar la alimentación en caso de sobrecargas o caídas de tensión, este dispositivo garantiza un entorno de trabajo seguro y prolonga la vida útil de tus equipos. Ideal para su uso con generadores y en entornos eléctricos inestables, combina precisión y durabilidad con un diseño compacto y funcional.

www.solter.com



Principales características:

Advanced protection: Automatically disconnects power if the voltage exceeds the **160V to 260V** range, ensuring that welding equipment operates under optimal conditions.

Precise monitoring: Equipped with a high-precision digital display (±5%) that shows real-time input voltage, with status indicators for enhanced safety.

High capacity: Supports up to 8.4 kW of power with a **maximum input current of 30A**, providing protection even for more demanding equipment.

Robust performance: Ideal for environments with autonomous generators or electrical fluctuations, **protecting** single-phase INVERTER equipment up to 200A.

Guaranteed durability: Manufactured under IP44 standards for greater resistance in harsh work environments.

Easy installation: Compact and lightweight design (175x125x90mm, 1.1 kg) allows for quick connection between the generator or electrical installation and the welding equipment.

Efficient ventilation: Convection cooling system for safe and stable operation.

²Trust the **INVERKONTROL DI-230** by Solter to protect and optimize your welding equipment. Ensure safety and performance in every project, backed by the quality and innovation of a leading brand.



TECHNICAL FEATURES

Estructurales	
Weight	1,1Kg
Dimensions	175x125x90mm
Eléctricas	
lımax	30A
Voltage range	160-260V
Supply Voltage	230 1ph

www.solter.com



OPTIONAL ACCESSORIES



INVERTER STYL 205 PRO + CASE Ref. 04110



ICON 2055 PRO Ref. 04229



PRACTICO 150 Ref. 10093



PRACTICO 130 Ref. 10100



INVERTER CORE 200Di Ref. 10207



INVERTER CORE 160S Ref. 10217