



SOLCUT 50

- \cdot 45Amp plasma cutting equipment.
 - · 230V-1ph connection.
 - · Cut up to 12mm.
- \cdot Complete with ground clamp and torch.



- $\cdot \ Highly \ portable \ and \ versatile \ plasma \ cutting \ inverter \ equipment \ thanks \ to \ its \ 230V-1ph \ single-phase \ connection.$
- \cdot With a cutting capacity of up to 12mm, it is the ideal system for industrial maintenance and repair work.
- · Cut all kinds of materials such as carbon steel, stainless steel and aluminum.



TECHNICAL FEATURES

Generales	
Intensity at 60%(100%) a 40°C	40A (32A)
Intensity MAX.	45A
Regulation	10-45A
Duty Cycle at 40°C	50%
Tecnicos	
Cutting capacity ALUMINIUM	12mm
Cuttinh capacity STEEL	12mm
Cutting capacity STAINLESS STEEL	8mm
Air flow	150l/min
Air pressure	3.5-10bar
Estructurales	
Dimensions	504x213x314mm
Protection index	504x213x314mm
Standards	EN-60974
Weight	12 Kg
Ventilation	FORZADA
Eléctricas	
Connection	230V - 1Ph
ocv	310V
Imax	23A