CABLES CBMOU-16/32

Ref. 10303





Charging Cable CBMOU-16/32 5M for Electric Vehicle Type 2 to Type 2-22kW 32A Three-Phase is the perfect solution for fast and efficient charging of electric and plug-in hybrid vehicles. Designed to meet the international standard IEC62196-2, it delivers up to 22kW of power in three-phase mode and 32 amperes, ensuring optimal performance with every charge. Its robust structure with a TPU coating makes it resistant to extreme temperatures (-25°C to +55°C), and its IP65 rating e

Key Features:

- Type 2 to Type 2 Connector: Manufactured according to the international standard IEC62196-2, this cable is compatible with all Type 2 electric cars, including Tesla, Renault Zoe, BMW i3, and more. Perfect for both public and private charging points in Europe.
- Maximum Power and Current: Capable of supporting up to 22kW of power in single-phase and three-phase AC installations, with a rated current of 32A, ensuring fast and efficient charging.
- Strength and Durability: Manufactured with high-quality materials, nickel-plated copper alloy connectors, and a flexible TPU coating to ensure a long lifespan. It withstands extreme temperatures from -25°C to +55°C and features IP65 certification, providing protection against water and dust.
- Long Lifespan: Guaranteed for over 10,000 connection and disconnection cycles, this cable is perfect for both home use and public charging stations.
- Practical Design: Includes connector covers to protect them from dust and moisture. Its 5-meter length and tangle-free design ensure convenience for everyday use.
- Advanced Protection: Provides protection against overvoltage and overcurrent, ensuring safe charging for both the vehicle and the user at all times.
- Easy to Transport: Comes with a carrying bag that makes storage easy and keeps the cable organized and protected.

This flexible charging cable made of high-quality TPU combines versatility, durability, and safety, making it the ideal companion for electric vehicle users seeking efficiency and reliability with every charge.



CABLES CBMOU-16/32

Ref. 10303



TECHNICAL DATA

Technical Conexiones Type 2 - Type 2 Structural Longitud 5m Protection index IP65 Cable Material TPU Electrical Corriente 16A/32A

OPTIONAL ACCESSORIES