

PLASMA SOLCUT 5000K PFC

Ref. 10351



Inverter PFC equipment for plasma cutting with compressed air. It provides a very stable cutting arc.

**With torch, compressor, cable and ground clamp included*

Main features:

- 30A power at 100%
- 230V - 1ph connection
- Automatic torch cooling
- Incorporates an air compressor for autonomous operation
- Clean cut up to 6mm
- Maximum cut up to 8mm
- Cutting of various metals and alloys
- Can be used with an extension of the power cable



PLASMA SOLCUT 5000K PFC

Ref. 10351



TECHNICAL DATA

| Generals | |
|----------------------------------|----------------------------------|
| Regulation | 10 - 30A |
| Intensity MAX. | 30A@100% |
| Technical | |
| Cuttinh capacity STEEL | 8mm |
| Cutting capacity STAINLESS STEEL | 5mm |
| Cutting capacity ALUMINIUM | 8mm |
| Compresor | Incorporado |
| Structural | |
| Weight | 20Kg |
| Dimensions | 440x270x350mm |
| Standards | EN 60974-1 / EN 60974-10 Clase A |
| Electrical | |
| Supply Voltage | 220-240V 1Ph |
| OCV | 240V |

OPTIONAL ACCESSORIES

Ref. 10253

CARRO UTS 400



Ref. 10403

**COMPASS SOLCUT
30K/40K/50/60**



Ref. 30576

**ANTORCHA 4m PLASMA PT-
20**



Ref. 55972

**CUTTING TIP SHORT 0,65 10-
20A PT20C/60 2u**



Ref. 55973

**CUTTING TIP LONG 0,65 10-
20A PT20C/60 2u**



Ref. 55974

**CUTTING TIP SHORT 0,8 20-
30A PT20C/60 2u.**



Ref. 55975

**CUTTING TIP LONG 0,8 20-
30A PT20C/60 2u.**



Ref. 55978

**CUTTING TIP LONG 0,9 30-
40A PT20C/60 2u**



Ref. 55979

ELECTRODE LONG PT-20C/60

2u.



Ref. 55982

CUTTING TIP SHORT 0,9 30-

40A PT20C/60 2u



Ref. 55983

CUTTING TIP SHORT 1,0 40-

50A PT20C/60 2u.



Ref. 55984

CUTTING TIP SHORT 1,1 50-

60A PT20C/60 2u.



Ref. 55985

ELECTRODE SHORT PT-

20C/PT60 2u.



Ref. 56046

GAS DISTRIBUTOR PT20C/60

1u



Ref. 56094

CUTTING TIP HOLDER PT20C

