

SOLSPOT 9000+SPOT GUN+KIT STUDDER SOLTER

Ref. 10368



Programa de soldadura	
Programa	Descripción
1	Spot welding
2	Spot welding with heating
3	Spot welding with pulsation
4	Spot welding with pulsation and heating
5	Spot welding with pulsation and heating (carbon electrode)
6	Spot welding with pulsation and heating (carbon electrode) for all types of steel, stainless steel and its alloys.

Programa de soldadura	
Programa	Descripción
1	Spot welding
2	Spot welding with heating
3	Spot welding with pulsation
4	Spot welding with pulsation and heating
5	Spot welding with pulsation and heating (carbon electrode)
6	Spot welding with pulsation and heating (carbon electrode) for all types of steel, stainless steel and its alloys.

Spot welding machine with pneumatic spot gun to weld metal sheets up to 3+3mm and kit studder (dent puller)

Accessories included:

Pneumatic spot gun with extra-flexible copper cables L=2000 mm de 150 mm² and arms with electrodes of 107mm. Kit Studder (Gun with cables and complete kit of accessories and consumables) for dent pulling.

Trolley with wheels

Air pressure gouge

The SOLSPOT 9000 is an ideal machine for all types of bodywork repairs: spot welding of car and truck bodies and chassis (up to 3.0 + 3.0 mm), bodies repair with a spotter (dent puller), localized metal sheets heating (carbon electrode) for all types of steel, stainless steel and its alloys.

Controlled by a digital synchronous welding control with a double program, welding time adjustment with cycles and pulses, compensation and pulsation function for rusted and galvanized sheets and ongoing current adjustment (1 to 99 on the power scale) and welding time (1 to 99 cycles).

Simultaneous connection of the pneumatic spot gun and dent-puller pistol, with automatic recovery of the memorized welding program.

Unlike a conventional welding control, our control performs two different work cycles for the pneumatic spot gun and the dent puller, in addition the work cycle of the dent puller has the sheet heating function.

The control also manages the refrigeration unit with a pneumatic pump (Optional Ref: 10369).

It also allows the simultaneous connection of the pneumatic spot gun and the dent removal gun with automatic recovery of the corresponding memorized welding program, which saves time and avoids errors.

SOLSPOT 9000+SPOT GUN+KIT STUDDER **SOLTER**

Ref. 10368

TECHNICAL DATA

Generals	
Intensity MAX.	8000A
Technical	
Potencia absorbida 50%	10Kva
Voltaje de servicio (Vmp)	8V
Tiempo de soldadura	1-99
Structural	
Weight	105kg
Electrical	
Supply Voltage	400V - 1ph
Fuse	25A
Absorbed power max.	50Kva

OPTIONAL ACCESSORIES


Ref. 10369

WATER COOLING PNEUMATIC UNIT FOR SOLSPOT 9000




Ref. 10381

FOLDED ARMS COUPLE WITH ELECTRODES L= 107mm




Ref. 10382

FOLDED ARMS COUPLE WITH ELECTRODES L= 152mm



Ref. 10383

FOLDED ARMS COUPLE WITH ELECTRODES L= 235mm



Ref. 10384

FOLDED ARMS COUPLE WITH ELECTRODES L= 330mm



Ref. 10385

FOLDED ARMS COUPLE WITH ELECTRODES L= 480mm




Ref. 10386

ARMS COUPLE WITH ELECTRODES & FOLDED ELECTRODE L=107mm (ext)



Ref. 10387

**ARMS COUPLE WITH
ELECTRODES & FOLDED
ELECTRODE L=107mm (int)**



Ref. 10388

**COUPLE OF SYMMETRICAL
ARMS L= 250mm**



Ref. 10389

**ARMS COUPLE WITH
STRAIGHT ELECTRODES L=
107mm**



Ref. 10390

**ARMS COUPLE WITH
STRAIGHT ELECTRODES L=
235mm**



Ref. 10391

**ARMS COUPLE WITH
STRAIGHT ELECTRODES L=
332mm**



Ref. 10392

**ARMS COUPLE WITH
STRAIGHT ELECTRODES L=
483mm**



Ref. 10393

**ARMS COUPLE H= 200 L= 152
WITH ELECTRODES**



Ref. 10394

**ARMS COUPLE H= 200 L= 235
WITH ELECTRODES**



Ref. 10395

**ARMS COUPLE H= 200 L= 330
WITH ELECTRODES**




Ref. 10396

**ARMS COUPLE H= 200 L= 480
WITH ELECTRODES**



Ref. 10397

**ARMS COUPLE WITH
REDUCED LIEN L= 330mm**



Ref. 30876

**CASQUILLO DE LATON
BRAZOS D.18x18L**

